AUTHOR INDEX

VOLUME 12 (1971)

Abbondandolo, A., 143 Alderson, T., 29 Arakatsu, Y., 235

BARNETT, W. E., 129
BEECHEY, C. V., 219, 411
BELLO, J., 113
BHATIA, C. R., 331
BHATTACHARJEE, S. B., 341
BREWEN, J. G., 305
BROCKMAN, H. E., 129

Carlson, B. L., 197 Carnevali, F., 357 Cattanach, B. M., 472 Chourey, P. S., 151 Chu, E. H. Y., 337 Cleaver, J. E., 453 Conti, G., 357 Coward, J. E., 15 Cox, B. S., 328 Coyle, M., 427

DE SERRES, F. J. 35, 47, 129, 221 DOUDNEY, C. O., 121

ELLNER, P. D., 15 ENDO, H., 1 ERASMUS, U., 255, 269 ERRERA, M., 9 EVANS, E. P., 219, 411 EWING, D., 315 EYRING, E. J., 214

FICSOR, G., 335 FORD, C. E., 411 FUNK, F., 206

GAME, J. C., 328 GERBER, G. B., 175 GICHNER, T., 65, 391 GOPAL-AYENGAR A. R., 331 GREEN, E. L., 281

Harrison, B. J., 381 Hedges, R. W., 204 Heiner, R. E., 249 Henry, N., 9 Hieda, K., 365 Himmelfarb, P., 197

ISHIZAWA, M., I

JAFFE-BRACHET, A., 9 JENSEN, M. K., 91

KELLY, F., 183 KHALATKAR, A. S., 331 KIHLMAN, B. A., 463 KILBEY, B. J., 47, 221 KIMBALL, R. F., 21 KJELLÉN, L., 191 KØLMARK, H. G., 129 KONDRATIEV, YU. S., 105 KÜNZEL, G., 397

LEGATOR, M. S., 183, 469 LEIGH, B., 100, 211 LÉONARD, A., 175 LEONI, L., 357 LEVAN, A., 191 LEWIS, C. M., 349 LISS, R. H., 197 LIU, M., 21 LUIPPOLD, H. E., 305 LÜNING, K. G., 291

McMahon, M., 427 Malling, H. V., 35, 47 Matter, B., 417 Melvold, R. W., 171 Merriam, V., 206 Morpurgo, G., 357 Mukherjee, N., 341 Mukherjee, P., 341 Muthiani, E., 335

Nichols, W. W., 191 Norlén, K., 463

Odmark G., 463 Ondřej, M., 159

Papworth, D. G., 411 Philip, P., 91 Pokorný, V., 391 Pollard, C. E., 472 Potti, N. D., 113

RADFORD, A., 57 RAO, D. M., 109 REDDY, G. M., 109 REDDY, T. P., 109 REID, B. D., 101 ROSENKRANZ, H. S., 15

M

Scalera, S. E., 71
Scheid, W., 97
Schewe, M. J., 255, 269
Schmid, W., 417
Schwartz, D., 151
Scott, B. R., 29
Searle, A. G., 219, 291, 411
Setlow, J. K., 21
Sheldon, S., 191
Sheridan, W., 81
Simi, S., 143
Sinsheimer, R. L., 206
Skavronskaya, A. G., 105
Sobels, F. H., 100
Strauss, B., 427
Sturelid, S., 463

SUZUKI, D. T., 255, 269

TARRANT, G. M., 349 THAYER, P. S., 197 TRAUT, H., 97, 321 TROSKO, J. E., 337

VELEMÍNSKÝ, J., 65, 391 VIG, B. K., 214, 441

WALKER, I. G., 101 WARD, O. G., 71 WASILAUSKAS, B. L., 15

ZEIGER, E., 471

SUBJECT INDEX

VOLUME 12 (1971)

Acriflavine, in yeast, 235

Adenovirus, type 5, differential susceptibility

of two cell types, 191

Allium proliferum, caffeine and 8-ethoxycaffeine at different treatment temperatures,

2-Aminopurine, in bacteriophage T4, 1

, in N. crassa, 129

4-Aminoquinoline, in bacteriophage T4, 1

4-Aminoquinoline 1-oxide, in bacteriophage

Antibiotics, antibacterial, induction of cytoplasmic petite mutation, 357

Antirrhinum majus, association of highly mutable genes involving pigmentation, 381

Arabidopsis thaliana, action of nitrosamines, 65 Aspergillus nidulans, near UV light plus 8methoxypsoralen, 29

7-Azatryptophan, in Ustilago maydis, 349

Bacillus megaterium, streptomycin resistance

Bacteria, UV-damaged, DNA replication, 121 Bacteriophage, λ , particles, photodynamic inactivation of, with methylated proflavine, 9

 Φ X174, genetic expression in whole cells of heterozygous replicative-form molecules,

—, T₄, mutagenesis by 4-nitroquinoline 1-oxide, 1

Bacterium paracoli, comparison with mutant 170, 15

Barley, modification of mutagenic efficiency of ethyl methanesulphonate, 331

-, ratio of chemically induced chromosome aberrations to gene mutations, 397

-, seeds, stored N-methyl-N-nitrosoureatreated, moisture content of, 391

Benzylmethylnitrosamine, in A. thaliana, 65 Bone marrow, cells, of mammals, trenimoninduced damage in, evaluated by micronucleus test, 417

-, of rat, rubidomycin in, 91

5-Bromodeoxyuridine, in bacteriophage T4, 1

, failure of alkylated HEp.2 cells to replicate newly synthesized DNA, 427

, sensitization to UV-induced mutability in her strains of E. coli, 105

5-Bromouracil, sensitization to UV-induced mutability in her strains of E. coli, 105

Bromouracil deoxyriboside, repair of alkylation damage in xeroderma pigmentosum cells, 453

Butylmethylnitrosamine, n- and tert.-, in A. thaliana, 65

Caffeine, continuous exposure of HeLa cell, 197 -, effect on mutation induction in Chinese

hamster cells by UV light, 337 -, potentiation of lethal action of alkylating agents on L-cells, 101

and treatment temperature, 463

Calf, thymus nucleohistone, cross-linking by nitrous acid, 113

Canavanine, in Ustilago maydis, 349

L-Canavanine sulphate, in modification of mutagenic efficiency of ethyl methanesulphonate, 331

Carcinogen, 4-nitroquinoline 1-oxide, in bacteriophage T4, 1

L-Cell, of mouse, caffeine potentiation of lethal action of alkylating agents on, 101

Chloramphenicol, petite mutation in yeast, 357 Chlorophyll mutation, in Oryza sativa, by deuterium oxide, 109

Chromosome, X, nondisjunction and loss, in D. melanogaster by X-irradiation, 321

-, X-Y interchanges, mitomycin C in D. melanogaster, 255

-, Y, of D. melanogaster, X-ray-induced double mosaics, 100

Cycloheximide, petite mutation in yeast, 357 Cyclohexylamine, in mouse, 472

Daunomycin, in human leukocytes, 441 Decay, 32P, effect of UV irradiation and, on thymineless death in E. coli, 341

Deferoxamine, absence of chromosome aberrations in cultured human leukocytes treated by, 214

Dehydration, effects of, on sensitivity of yeast to UV light, 365

Deuterium oxide, chlorophyll mutation in Oryza sativa, 109

Diepoxybutane, in A. nidulans, 29 Diethylnitrosamine, in A. thaliana, 65 Diethyl sulphate, in A. nidulans, 29

, in V. faba, 249

Dimethylmyleran, caffeine potentiation of lethal action of, on mouse L-cells, 101 Dimethylnitrosamine, in A. thaliana, 65 Dimethyl sulphate, in H. influenzae, 21

Double mosaics, X-ray-induced, involving Y-chromosome in D. melanogaster, 100 Drosophila melanogaster, action of mitomycin C, 255, 269

SUB

Irra

N.

N

Drosophila melanogaster, (continued)

-, ethylnitrosourea in, 159

—, interaction of chromosome breaks, 211

—, X-irradiation in oocytes, 321

-, Y-chromosome, X-ray-induced double mosaics, 100

Epithelial cell, of human foetus, susceptibility to adenovirus type 5, 191

Erythromycin, petite mutation in yeast, 357 Escherichia coli, effect of UV irradiation and 32P decay on thymineless death, 341

-, her strains, 5-bromouracil sensitization to UV-irradiation, 105

-, UV-damaged, DNA replication, 121

Ethidium bromide, in modification of mutagenic efficiency of ethyl methanesulphonate,

Ethionine, in Ustilago maydis, 349

8-Ethoxycaffeine, and treatment temperature,

Ethyl methanesulphonate, in barley, 397

—, chlorophyll mutation in *Oryza sativa*, 109 -, in D. melanogaster, 269

-, in H. influenzae, 21

-, modification of mutagenic efficiency in barley, 331

-, in N. crassa, 35, 129

-, in N. crassa mutant ad-3B, 47

-, in Sh₁ protein of maize, 151

-, stored, moisture content of treated barley seeds, 391
-, in V. faba, 71

Ethylnitrosourea, in D. melanogaster, 159 Ethylvinylnitrosamine, in A. thaliana, 65

Fibroblast cell, of human foetus, susceptibility to adenovirus type 5, 191

5-Fluorodeoxyuridine, failure of alkylated HEp.2 cells to replicate newly synthesized

p-Fluorophenylalanine, in Ustilago maydis, 349 5-Fluorouracil, in Ustilago maydis, 349

Fluorouracil deoxyriboside, repair of alkylation damage in xeroderma pigmentosum cells, 453

Foetus, human, adenovirus 5 in two cell lines, 191

Guinea pig, trenimon-induced damage, evaluated by micronucleus test, 417

Haemophilus influenzae, monofunctional methylating agents in strains defective in repair processes, 21

Hamster, Chinese, caffeine and 8-ethoxycaffeine at different treatment temperatures, 463

-, effect of caffeine on mutation induction by UV light, 337

-, —, trenimon-induced damage, evaluated by micronucleus test, 417

-, Syrian, trenimon-induced damage, evaluated by micronucleus test, 417

HeLa cell, continuous exposure to caffeine, 197

HEp.2 cells, alkylated, failure to replicate newly synthesized DNA, 427

Heterozygotes, fitness of, of deleterious recessive mutations in the mouse, 281

Homoarginine, in Ustilago maydis, 349 Hordeum vulgare, modification of mutagenic efficiency of ethyl methanesulphonate, 331

-, ratio of chemically induced chromosome aberrations to gene mutations, 397

-, seeds, stored N-methyl-N-nitrosoureatreated, moisture content of, 391

Host-mediated assay, mutagenicity of Nnitrosomorpholine, 469

Human, blood, exposure of HeLa cells to caffeine, 197

-, cells, repair of alkylation damage in xeroderma pigmentosum, 453

—, foetus, adenovirus type 5 in two cell lines, IQI

—, leukocytes, aberrations by daunomycin, 441 -, -, cultured, treated with metal chelators,

absence of chromosome aberrations, 214 -, radiation-induced chromosome aberrations, 305

Hydroxylamine, in bacteriophage T4, 1

-, in N. crassa, 35

-, in N. crassa mutant ad-3B, 47

, in N. crassa mutants, 57

4-Hydroxylaminoquinoline 1-oxide, in bacteriophage T4, 1

Hypermutability model, test of, in S. typhimurium trpA47S, 204

ICR-170, in A. nidulans, 29

—, in N. crassa mutant ad-3B, 47

-, in N. crassa mutants, 57

Iodoacetamide, in modification of mutagenic efficiency of ethyl methanesulphonate, 331

Irradiation, γ , in A. nidulans, 29 -, γ and X, in mouse spermatogonia, 411

-, far UV light, in A. nidulans, 29

-, fast neutron, evidence against a cytogenetically resistant spermatogonial population in mice, 219

-, genetic risks in mice, 291

-, influence of selection, non-uniform cell population and repair on dose-effect curves of genetic effects, 175

—, ionizing, genetic risks from, 291 —, near UV light, plus 8-methoxypsoralen, in A. nidulans, 29

-, UV, allelism tests of yeast mutants affecting sensitivity to, 328

—, —, 5-bromouracil sensitization to, in her strains of E. coli, 105

—, —, DNA replication in bacteria, 121

-, -, effect of, and 32P decay on thymineless death in E. coli, 341

-, effect of caffeine on mutation induction in Chinese hamster cells, 337

-, effect of dehydration on sensitivity of yeast to, 365

-, —, induced mutant ad-3B in N. crassa, 47 -, in mouse cells, caffeine potentiation of

lethal action of, 101

DEX

nic

ne

331

ines.

tors,

ions,

enic

31

ieti-

n in

ves

, in

ing

hcr

less

ion

of

47

of

Irradiation, UV, (continued)

-, -, in N. crassa mutants, 57

—, —, with or without photoreactivation, in *N. crassa*, differential photoreversibility, 221

—, —, sensitive human cells, repair of alkylation damage, 453

—, —, in S. pombe, 143

 —, visible light, photodynamic inactivation of λ bacteriophage particles, with methylated proflavine, 9

—, X, in barley, 397

—, —, in *D. melanogaster*, double mosaics in Y-chromosome, 100

--, --, fitness of heterozygotes of deleterious recessive mutations in the mouse, 281

-, -, genetic risks in mice, 291

-, -, interaction of chromosome breaks in

D. melanogaster, 211

 , —, to mouse spermatogonia, lifetime reproductive capacity in offspring, 81

-, -, in oocytes of D. melanogaster,

temporal distribution, 321

—, —, in *V. faba*, visualization of gaps by staining of chromosomal proteins, 97

 —, X, γ and ¹³⁷Cs, human chromosome aberrations, 305

-, X and UV, in N. crassa, 129

Leukocytes, human, aberrations by daunomycin, 441

—, —, cultured, treated with metal chelators, absence of chromosome aberrations, 214

Maize, ethyl methanesulphonate in Sh₁ protein,

Mammals, cell cultures, effects of N-methyl-N'-nitro-N-nitrosoguanidine and streptozotocin, 183

Mesodiepoxybutane, in *N. crassa*, 129 Metal chelators, absence of chromoson

Metal chelators, absence of chromosome aberrations in cultured human leukocytes treated by, 214

8-Methoxypsoralen, plus near UV light, in A. nidulans, 29

Methylated proflavine, photodynamic inactivation of λ bacteriophage particles, 9

Methyl methanesulphonate, caffeine potentiation of lethal action of, on mouse L-cells, 101

—, failure of treated HEp.2 cells to replicate newly synthesized DNA, 427

-, in H. influenzae, 21

-, in xeroderma pigmentosum cells, 453

N-Methyl-N'-nitro-N-nitrosoguanidine, in A. nidulans, 29

—, caffeine potentiation of lethal action of, on mouse L-cells, 101

—, effect on mammalian cell cultures, 183

-, in H. influenzae, 21

—, in xeroderma pigmentosum cells, 453

N-Methyl-N-nitrosourea, caffeine potentiation of lethal action of, on mouse L-cells, 101

 stored, moisture content of treated barley seeds, 391

Methylphenylnitrosamine, in A. thaliana, 65

Microbial assay, for detecting chemical mutagens in tissue homogenates, 335

Mitomycin C, in D. melanogaster, 255, 269 Moisture, content, of stored N-methyl-N-

nitrosourea-treated barley seeds, 391 Monkey, rhesus, trenimon-induced damage, evaluated by micronucleus test, 417

Monofunctional methylating agents, in strains of *H. influenzae* defective in repair processes, 21

Morpholine, in host-mediated assay, 469 Mouse, L-cells, caffeine potentiation of lethal action of alkylating agents on, 101

-, cyclohexylamine tests, 472

—, evidence against a cytogenetically radioresistant spermatogonial population, 219

—, fitness of heterozygotes of deleterious recessive mutations, 281

—, genetic risks from ionizing irradiation, 291
— a microbial assay for detecting chemical

—, a microbial assay for detecting chemical mutagens in tissue homogenates from, 335

—, mutagenicity of N-nitrosomorpholine in host-mediated assay, 469

—, spermatogonia, acute γ -irradiation, 411

—, spontaneous somatic reversion, 171

 trenimon-induced damage, evaluated by micronucleus test, 417

—, X-irradiated, lifetime reproductive capacity in offspring, 81

Mutagen, acriflavine, in yeast, 235

—, adenovirus type 5, differential susceptibility of two cell types, 191

-, 2-aminopurine, in bacteriophage T4, 1

—, —, in N. crassa, 129

-, 4-aminoquinoline, in bacteriophage T₄, 1

—, 4-aminoquinoline 1-oxide, in bacteriophage T₄, 1

-, 7-azatryptophan, in Ustilago maydis, 349

—, benzylmethylnitrosamine, in A. thaliana, 65

—, 5-bromodeoxyuridine, in bacteriophage T₄,

—, —, failure of alkylated HEp.2 cells to replicate newly synthesized DNA, 427

—, —, sensitization to UV-induced mutability in her strains of E. coli, 105

—, 5-bromouracil, sensitization to UV-induced mutability in hor strains of E. coli, 105

 bromouracil deoxyriboside, repair of alkylation damage in xeroderma pigmentosum cells, 453

—, n- and tert.-butylmethylnitrosamine, in A. thaliana, 65

—, caffeine, continuous exposure of HeLa cell, 197

—, —, effect on mutation induction in Chinese hamster cells by UV light, 337

—, —, potentiation of lethal action of alkylating agents on L-cells, 101

-, -, and treatment temperature, 463

-, canavanine, in Ustilago maydis, 349

—, chloramphenicol, petite mutation in yeast, 357

—, cycloheximide, petite mutation in yeast, 357

-, cyclohexylamine, in mouse, 472

N

Mutagen, (continued)

-, daunomycin, in human leukocytes, 441

-, deferoxamine, absence of chromosome aberrations in cultured human leukocytes treated by, 214

-, deuterium oxide, chlorophyll mutation in

Oryza sativa, 109

-, diepoxybutane, in A. nidulans, 29 —, diethylnitrosamine, in A. thaliana, 65

-, diethyl sulphate, in A. nidulans, 29

—, —, in V. faba, 249

-, dimethylmyleran, caffeine potentiation of lethal action of, on mouse L-cells, 101

—, dimethylnitrosamine, in A. thaliana, 65 -, dimethyl sulphate, in H. influenzae, 21

—, erythromycin, petite mutation in yeast, 357
—, ethionine, in *Ustilago maydis*, 349

-, 8-ethoxycaffeine, and treatment temperature, 463

-, ethyl methanesulphonate, in barley, 397

-, -, chlorophyll mutation in Oryza sativa, 109

-, -, in D. melanogaster, 269

-, -, in H. influenzae, 21

-, -, modification of mutagenic efficiency in barley, 331
—, —, in N. crassa, 35, 129

—, —, in N. crassa mutant ad-3B, 47

—, —, in Sh₁ protein of maize, 151

-, -, stored, moisture content of treated barley seeds, 391

, in V. faba, 71

—, ethylnitrosourea, in D. melanogaster, 159 —, ethylvinylnitrosamine, in A. thaliana, 65

—, 5-fluorodeoxyuridine, failure of alkylated HEp.2 cells to replicate newly synthesized DNA, 427

—, p-fluorophenylalanine, in Ustilago maydis,

-, 5-fluorouracil, in Ustilago maydis, 349

-, fluorouracil deoxyriboside, repair of alkylation damage in xeroderma pigmentosum cells, 453

-, homoarginine, in Ustilago maydis, 349

-, hydroxylamine in bacteriophage T4, 1

—, —, in N. crassa, 35

-, -, in N. crassa mutant ad-3B, 47

—, —, in N. crassa mutants, 57

-, 4-hydroxylaminoquinoline 1-oxide, in bacteriophage T₄, 1

-, ICR-170, in A. nidulans, 29

-, -, in N. crassa mutant ad-3B, 47

-, in N. crassa mutants, 57

—, mesodiepoxybutane, in N. crassa, 129

-, 8-methoxypsoralen, plus near UV light, in A. nidulans, 29

-, methylated proflavine, photodynamic inactivation of λ bacteriophage particles, 9

—, methyl methanesulphonate, caffeine potentiation of lethal action of, on mouse L-cells,

—, —, failure of treated HEp.2 cells to replicate newly synthesized DNA, 427

—, —, in H. influenzae, 21

-, -, in xeroderma pigmentosum cells, 453

Mutagen, (continued)

—, N-methyl-N'-nitro-N-nitrosoguanidine, in A. nidulans, 29

-, -, caffeine potentiation of lethal action of, on mouse L-cells, 101

—, —, effect on mammalian cell cultures, 183

—, —, in H. influenzae, 21

-, in xeroderma pigmentosum cells, 453

-, N-methyl-N-nitrosourea, caffeine potentiation of lethal action of, on mouse L-cells,

-, stored, moisture content of treated barley seeds, 391

-, methylphenylnitrosamine, in A. thaliana, 65

—, mitomycin C, in D. melanogaster, 255, 269

-, morpholine, in host-mediated assay, 469

-, 4-nitroquinoline l-oxide, in bacteriophage T4, I

-, nitrosamines, in A. thaliana, 65

—, nitrosomethylurea, in barley, 397

—, N-nitrosomorpholine, in host-mediated assay, 469

—, nitrous acid, in A. nidulans, 29

—, —, cross-linking of nucleohistone, 113

—, —. in N. crassa, 35, 129

—, —, in N. crassa mutant ad-3B, 47

-, -, in N. crassa mutants, 57

—, —, in S. pombe, 143

-, norleucine, in Ustilago maydis, 349

-, penicillamine, absence of chromosome aberrations in cultured human leukocytes treated by, 214

—, proflavine, in bacteriophage T₄, 1

-, rubidomycin, cytogenetic effect in vivo in rat, 91

—, streptomycin, in B. megaterium, 315

-, streptozotocin, effects on mammalian cell cultures, 183

—, —, a microbial assay for detection of, in tissue homogenates, 335

—, sulphur mustard, caffeine potentiation of lethal action of, on mouse L-cells, 101

—, tetracycline, petite mutation in yeast, 357 —, β -2-thienylalanine, in *Ustilago maydis*, 349

-, trenimon, in cells of mammals, evaluated by micronucleus test, 417

Mutant, ad-3, hydroxylamine-induced in N. crassa, 35
—, ad-3B, UV-induced in N. crassa, 47

-, petite, cytoplasmic, induced by antibacterial antibiotics, 357

-, pyr-3, in N. crassa, induced reversion, 57

-, 170, of B. paracoli, comparison with B. paracoli, 15

Neurospora crassa, differential photoreversibility of UV-induced premutational lesions, 221

—, hydroxylamine-induced ad-3 mutant, 35

-, mutagen specificity, 129

—, mutant pyr-3, induced reversion, 57

-, UV-induced ad-3B mutant, 47

Nitrogen sources, affecting mutation induction of acriflavine in yeast, 235

of,

DEX

183

ells,

a, 99 9. 1ge

cell

rtes

f 57 349 by

on

4-Nitroquinoline 1-oxide, in bacteriophage T₄,

Nitrosamines, in A. thaliana, 65 Nitrosomethylurea, in barley, 397

N-Nitrosomorpholine, in host-mediated assay, 469

Nitrous acid, in A. nidulans, 29

—, cross-linking of nucleohistone, 113

—, in *N. crassa*, 35, 129 —, in *N. crassa* mutant *ad-3B*, 47

—, in N. crassa mutants, 57 —, in S. pombe, 143

Nomenclature, of mutants affecting sensitivity to radiation in yeast, 328

Norleucine, in *Ustilago maydis*, 349 Nucleohistone, calf thymus, cross-linking by nitrous acid, 113

Oocytes, D. melanogaster, X-irradiation in, 321 Oryza sativa, chlorophyll mutation by deuterium oxide, 109

Penicillamine, absence of chromosome aberrations in cultured human leukocytes treated by, 214

Photodynamic inactivation, of λ bacteriophage particles with methylated proflavine, 9

Photoreversibility, differential, of UV-induced premutational lesions in N. crassa, 221 Pigmentation, in Antirrhinum majus, associa-

tion of highly mutable genes, 381 Proflavine, in bacteriophage T₄, 1

—, methylated, photodynamic inactivation of λ bacteriophage particles, 9

Protein, Sh₁, of maize, ethyl methanesulphonate in, 151

Rat, trenimon-induced damage, evaluated by micronucleus test, 417

 Wistar, cytogenetic effect of rubidomycin in vivo, 91

Rubidomycin, cytogenetic effect in vivo in rat, 91

Saccharomyces cerevisiae, allelism tests of mutants affecting sensitivity to radiation, 328

 —, cytoplasmic petite mutation induced by antibacterial antibiotics, 357

 effects of dehydration on sensitivity to UV light, 365

Saccharomyces ellipsoideus, action of acriflavine, 235

Salmonella typhimurium, a microbial assay for detecting chemical mutagens in tissue homogenates from mice, 335

 mutagenicity of N-nitrosomorpholine in host-mediated assay, 469

-, trpA47S, test of a hypermutability model in, 204

Schizosaccharomyces pombe, mosaicism and lethal sectoring in G1 cells, 143

Spermatid, of *D. melanogaster*, interaction of chromosome breaks, 211

Spermatocyte, of *D. melanogaster*, interaction of chromosome breaks, 211

Spermatogonia, mouse, acute γ -irradiation, 411 —, —, evidence against a cytogenetically

radioresistant population, 219
—, —, genetic risks from ionizing irradiation

—, —, genetic risks from ionizing irradiation,

—, —, X-irradiation, lifetime reproductive capacity in offspring, 81

Spontaneous somatic reversion, in mouse, 171 Staining procedures of chromosomal proteins, for visualization of X-ray-induced gaps in V. faba, 97

Streptomycin, in *B. megaterium*, 315 Streptozotocin, effects on mammalian cell cultures, 183

 a microbial assay for detection of, in tissue homogenates, 335

Sulphur mustard, caffeine potentiation of lethal action of, on mouse L-cells, 101

Temperature of treatment, of caffeine and 8-ethoxycaffeine, 463

Test, allelism, of yeast mutants affecting sensitivity to radiation, 328

—, micronucleus, evaluation of trenimoninduced damage in cells of mammals, 417 Tetracycline, petite mutation in yeast, 357 β -2-Thienylalanine, in *Ustilago maydis*, 349 Thymidine, tritiated, and diethyl sulphate, in *V. faba*, 249

Thymineless death, in E. coli, effect of UV irradiation and 32P decay on, 341

Tissue homogenates, a microbial assay for detecting chemical mutagens in, 335 Trenimon, in cells of mammals, evaluated by micronucleus test, 417

Ustilago maydis, fluorouracil and amino acid analogues, 349

Vicia faba, action of diethyl sulphate, 249
—, caffeine and 8-ethoxycaffeine at different

treatment temperatures, 463
—, ethyl methanesulphonate-induced alkyla-

tion, 71

—, X-irradiated, visualization of gaps by staining of chromosomal proteins, 97

Xeroderma pigmentosum, cells, human, repair of alkylation damage, 453

Yeast, action of acriflavine, 235

—, allelism tests of mutants affecting sensitivity to radiation, 328

 cytoplasmic petite mutation induced by antibacterial antibiotics, 357

—, effects of dehydration on sensitivity to UV light, 365